








AMC Online Sampler System (4 Port system)





AMC Online Sampler System (8 Port system)



AMC Online Sampler System (16 Port system)



AMC Online Sampler System (24 Port system)




AMC Online Sampler System (2 ~ 32 Port system) – OEM




AMC Online Sampler System (2 ~ 32 Port system) – OEM

AMC Online System 24 Port



AMC Online System 32 Port





AMC Sampler System (2 ~ 32 Port system)

Development Auto Control 2 ~3 port time control




Development 5~16 Port System



AMC Sampler System (2 ~ 32 Port system)

Development Auto Control cycle system (Korea testing Laboratory)



Development 5 Port System



AMC Online Sampler System (2 ~ 32 Port system)

SAMPLER SYSTEM (PARTICLE)



SAMPLER 10 ~ 16 Port System



 First GreenSys Co.,Ltd.



(Geoyo-dong) #511.#613 14 Yangsanro Songpa-gu, Seoul, Korea(05779)

Tel. 82-2-430-7877 Fax. 82-2-430-7879 E-mail. fgsys@hanmail.net

www.fgsys.net

AMC Sampler System (2 ~ 32 Port system)

SAMPLER Electrochemical Sensor Analyzer 6 item (Portable)



Ambient TMS System

TMS(Ambient)

MCSAM-7 (KIMOTO : JAPAN)
SO₂ / NO_x / O₃ / CO Analyzer
THC analyzer
PM10/2.5 Monitor
CO/CO₂ analyzer
Zero Gas Generater
Multi Gas
Data Logger/ F-E-P
WD/WS/TEMP/HUMIDY/SOLAR



TMS(Shelter)



AMC Sampler System (2 ~ 32 Port system)

Development sampler analyzer control system




Development dust monitoring system




AMC Sampler System (2 ~ 32 Port system)

Development Water Auto sampler 24 Port




Development AMC Control (Data Logger)



LCD Size	10.4 , 15, 17 , 19 TFT LCD, TOUCH MONITOR
Resolution	800 x 600 (SVGA) , 1024 x 768
HDD Drive	SATA 1,000GB /
Serial port	RS-232C x 2 PORT 8 Port
LAN	10/100Base-T 이상 × 1
Option Touch Screen	Optional 5-wire resistive type with RS-232 interface
I/O openings	2 x USB, 2 x COM, 1xPS/2
Operating Temperature	0 ~ 50° C
Color	White
Weight (Net/Gross)	15kg / 18kg
Dimensions (D x W x H)(mm)	483mm x 400mm x 220mm

AMC Sampler System (2 ~ 32 Port system)

Development AMC Control program



Development Water TMS Control program

